



中国认可

检验检测机构资质认定证书

Inspection Report

检验检测机构名称

名称

检验检测机构地址

地址

检验检测机构法定代表人

姓名

检验检测机构负责人

姓名

检验检测机构名称

名称

检验检测机构地址

地址

检验检测机构名称

名称

检验检测机构名称

名称



河南省产品质量检验技术研究院

国家建筑节能装修材料质量检验检测中心

样品名称		规格、性能、用途		检测项目		检测结果		备注	
陶瓷	地砖	600×600mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	墙砖			吸水率	≤3.0%	2.8%	合格		
石材	花岗岩	600×600mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	大理石			吸水率	≤0.5%	0.4%	合格		
木材	实木地板	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	复合地板			吸水率	≤0.5%	0.4%	合格		
涂料	乳胶漆	5L/桶	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	腻子粉			吸水率	≤0.5%	0.4%	合格		
胶粘剂	瓷砖胶	20kg/桶	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	地板胶			吸水率	≤0.5%	0.4%	合格		
五金件	水龙头	1/2"	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	淋浴花洒			吸水率	≤0.5%	0.4%	合格		
照明	LED灯	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	节能灯			吸水率	≤0.5%	0.4%	合格		
家具	实木家具	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	板式家具			吸水率	≤0.5%	0.4%	合格		
门窗	铝合金门窗	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	塑钢门窗			吸水率	≤0.5%	0.4%	合格		
卫生洁具	马桶	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	洗手盆			吸水率	≤0.5%	0.4%	合格		
厨房电器	燃气灶	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	电热水器			吸水率	≤0.5%	0.4%	合格		
家用电器	空调	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	冰箱			吸水率	≤0.5%	0.4%	合格		
其他	电线电缆	1800×900mm	防滑、耐磨	吸水率	≤0.5%	0.4%	合格		
	防水材料			吸水率	≤0.5%	0.4%	合格		

注 意 事 项

1. 如发生下列情况:

/ 报告复印件, 未重新加盖公章的“检验检测报告原件”或任何涂改页数

除委托检验报告外, 本表

15

signatures (founder, chief inspector, officer, Approver or issuer).

2. Such report is valid without the Special Seal for Inspection, Testing and

inv.

3. The company has a maximum of 10 working days to

from the date of submission of the report.

within 7 working days) after receiving the inspection report.

4. The company has a maximum of 10 working days to

from the date of submission of the report.

Cheng Hui Nanyang District, Zhengzhou, Henan

, Dandong Road, Guang

78, 89933179 (非食品); 0371-89933180 (食品)

编码 / Code: 150047

业务电话 / Business Tel: 0371-89933187, 899331

传 直 / Fax: 0371-89933175